The Alabama Department of Environmental Management

certifies that

Metiri Group - Geneva

Having met Department laboratory certification criteria, is approved to conduct Drinking Water analyses for the following:

Metals, Inorganics, Volatile Organic Chemicals, Pesticides, Herbicides, Synthetic Organic Chemicals, Disinfection Byproducts*

Effective November 1, 2025 through October 31, 2026

Daphne Y. Lutz

Daphne Y. Lutz, Chief
Water Division
Alabama Department of Environmental Management

Notification required within 30 days of any change to your home state certification status, including expiration, revocation, or downgrade.

Laboratory Number **43300**
*See Approved Analyte/Method List

Metiri Group - Geneva
Lab ID 43300
Expires 10/31/2026

Analyte	Method	Method
Metals		
Antimony	200.8	
Arsenic	200.8	
Barium	200.8	200.7
Beryllium	200.7	
Cadmium	200.8	
Chromium	200.7	
Copper	200.7	
Lead	200.8	
Mercury	200.8	245.1
Nickel	200.7	
Selenium	200.8	
Thallium	200.8	
Inorganics		
Cyanide	335.4	SM 4500-CN_E
Fluoride	SM 4500-F_C	
Nitrate	353.2	
Nitrite	353.2	
Volatile Organic Chemicals	524.2	
Pesticides		
Alachlor (Lasso)	525.2	
Atrazine	525.2	
Bhc-Gamma (Lindane)	505	
Chlordane	505	
Endrin	505	
Heptachlor	505	
Heptachlor Epoxide	505	
Hexachlorobenzene	505	
Hexachlorocyclopentadiene	505	
Methoxychlor	505	
Simazine	525.2	
Toxaphene	505	
Herbicides		
2,4,5-TP (Silvex)	515.4	
2,4-D	515.4	
Dalapon	515.4	
Dinoseb	515.4	
Pentachlorophenol	515.4	
Picloram	515.4	

Analyte	Method	Method
Synthetic Organic Chemicals		
Benzo(A)Pyrene	525.2	
Carbofuran	531.2	
DBCP (1,2 Dibromo-3-Chloropropane)	504.1	
Di(2-Ethylhexyl)Adipate	525.2	
Di(2-Ethylhexyl)Phthalate	525.2	
Diquat	549.2	
EDB (Ethylene Dibromide)	504.1	
Endothall	548.1	
Glyphosate	547	
Oxamyl (Vydate)	531.2	
PCB (Polychlorinated Biphenyls)	505	
Disinfection Byproducts		
Bromate	Not Certified	
Chlorite	Not Certified	
Haloacetic Acids	552.3	
Total Trihalomethanes	524.2	
Total Organic Carbon	Not Certified	
Radionuclides	Not Certified	
Dioxin	Not Certified	
Asbestos	Not Certified	
Microbiological		
Total Coliform	Not Certified	
E. Coli	Not Certified	
Cryptosporidium	Not Certified	
Giardia	Not Certified	
PFAS	Not Certified	