

CERTIFICATE NUMBER
24-13R



TODO Y NILALA Y TANO MAN UNO
ALL LIVING THINGS OF THE EARTH ARE ONE

LABORATORY CERTIFICATION

This certification by reciprocity is hereby issued to

SUBURBAN LABORATORIES, Inc.

1950 S. Batavia Ave. Ste. 150, Geneva, IL 60134

And through reciprocity, grants the aforementioned as a
CERTIFIED LABORATORY

In accordance with the Guam Safe Drinking Water Act and requirements specified in the Manual for Certification of Laboratories Analyzing Drinking Water, 5th ed.

This certification is non-transferable and conditioned upon the holder observing the government code of Guam and all rules, regulations and orders of the Guam Environmental Protection Agency. No person shall willfully deface, alter, forge, counterfeit or falsify this certification. Any such activity shall cause the immediate revocation of certification. The renewal application for this certification shall be submitted to the Guam Environmental Protection Agency a minimum of sixty (60) calendar days prior to the expiration date. This certificate must be displayed at location of operation.

THIS CERTIFICATE SHALL EXPIRE ON July 5, 2025


Michelle C.R. Lastimoza
ADMINISTRATOR

07/24/24

DATE

CERTIFICATE NUMBER

24-013R



TODO Y NILALA Y TANO MAN UNO
ALL LIVING THINGS OF THE EARTH ARE ONE

METHODS/PARAMETERS

The following Methods/Parameters have been set for

SUBURBAN LABORATORIES

1950 S. Batavia Ave. Ste. 150, Geneva, IL

and their certified laboratory:

For the Drinking Water methods and Parameters: EPA 200.7 Barium, Calcium, Chromium, Copper, Iron, Magnesium, Manganese, Nickel, Silica as SiO₂, Sodium, Zinc; EPA 200.8 Aluminum, Antimony, Arsenic, Barium, Chromium, Copper, Lead, Manganese, Mercury, Molybdenum, Nickel, Selenium, Silver, Thallium, Zinc; EPA 245.1 Mercury; EPA 335.4 Cyanide; EPA 353.2 Nitrate as N, Nitrite as N, Nitrate+Nitrite as N; EPA 504.1 1,2-Dibromo-3-chloropropane (DBCP), 1,2-Dibromoethane (EDB); EPA 505 Aldrin, Chlordane, Dieldrin, Endrin, Heptachlor, Heptachlor Epoxide, Hexachlorobenzene, Hexachlorocyclopentadiene, Lindane, Methoxychlor; EPA 515.4 2,4-D, Dalapon, Dinoseb, Pentachlorophenol, Picloram, , 2,4,5-TP (Silvex); EPA 524.2 Benzene, Carbon Tetrachloride, Chlorobenzene, 1,2-Dichlorobenzene, 1,4-Dichlorobenzene, 1,2-Dichloroethane, 1,1-Dichloroethylene, cis-1,2-Dichloroethylene, trans-1,2-Dichloroethylene, Dichloromethane, 1,2-Dichloropropane, Ethylbenzene, Styrene, Tetrachloroethylene, Toluene, 1,2,4-Trichlorobenzene, 1,1,1-Trichloroethane, 1,1,2-Trichloroethane, Trichloroethylene, Total Xylenes, Total Trihalomethanes, Vinyl chloride; EPA 525.2 Alachlor, Atrazine, Benzo(a)pyrene, bis(2-ethylhexyl)adipate, bis(2-ethylhexyl)phthalate, Simazine; EPA 533 & 537 PFAS/PFOA compounds; EPA 531.2 Aldicarb, Aldicarb sulfone, Aldicarb sulfoxide, Carbaryl, Carbofuran, Oxamyl; EPA 547 Glyphosate; EPA 548.1 Endothall; EPA 549.2 Diquat; EPA 552.3 Haloacetic Acids; SM 2320 B Alkalinity as CaCO₃; SM 2510 Conductivity; SM 2540 C Total Dissolved Solids; SM2540 D Total Suspended Solids; SM 4500 Cl₂ G Total Residual Chlorine; SM 5540C Surfactants; Approval granted for EPA 1664b Oil & Grease;

THIS CERTIFICATE SHALL EXPIRE ON July 5, 2025


Laboratory Certification
Officer


EMAS Division Administrator

7/24/24
Date