
CERTIFICATE NUMBER 24-04R



METHODS/PARAMETERS

The following Methods/Parameters have been set for

APPL, LLC. (part of the Metiri Group)

and their certified laboratory:

908 N. Temperance Ave., Clovis, CA 93611

EPA 1613 B 2,3,7,8- Tetrachlorodibenzo-p-dioxin; EPA 300.0, Bromide, Nitrate as N, Nitrite as N; EPA 300.1 Bromate, Bromide, Chlorate, Nitrite as N; EPA 353.2 Nitrate + Nitrite as N, EPA 365.1 Total Phosphorus; EPA 524.2 Benzene, Carbon Tetrachloride, Chlorobenzene, 1,2-Dichlorobenzene, 1,4-Dichlorobenzene, 1,1-Dichloroethylene, cis-1,2-Dichloroethylene, trans-1,2-Dichloroethylene, Dichloromethane, 1,2-Dichloropropane, Ethylbenzene, Styrene, Tetrachloroethylene, Toluene, 1,2,4 Trichlorobenzene, 1,1,1-Trichloroethane, 1,1,2-Trichloroethane, Trichloroethylene, Total Xylenes, Total Trihalomethanes, Vinyl chloride; SM 5310 C Total and Dissolved Organic Compounds; Approval is granted for EPA 533 and 537.1 PFAS/PFOS compounds,

THIS CERTIFICATE SHALL EXPIRE ON April 15, 2025

Laboratory Certification
Officer

EMAS Administrator

4/15/2024

Date

CERTIFICATE NUMBER 24-04R



LABORATORY CERTIFICATION

This certification by reciprocity is hereby issued to

APPL, LLC. (part of the Metiri Group)

908 N. Temperance Ave., Clovis, CA 93611

And through reciprocity, grants the aforementioned as a

CERTIFIED LABORATORY

In accordance with the Guam Safe Drinking Water Act and requirements specified in the Manual for Certification of Laboratories Analyzing Drinking Water, 5th ed.

This certification is non-transferable and conditioned upon the holder observing the government code of Guam and all rules, regulations and orders of the Guam Environmental Protection Agency. No person shall willfully deface, alter, forge, counterfeit or falsify this certification. Any such activity shall cause the immediate revocation of certification. The renewal application for this certification shall be submitted to the Guam Environmental Protection Agency a minimum of sixty (60) calendar days prior to the expiration date. This certificate must be displayed at location of operation.

THIS CERTIFICATE SHALL EXPIRE ON April 15, 2025

Michelle C.R. Lastimoza
ADMINISTRATOR

HPFW 15, 2024