State of Tennessee

DEPARTMENT OF ENVIRONMENT AND CONSERVATION
DIVISION OF WATER RESOURCES

Certifies That

Metiri Lab - Geneva, IL

Having Met the Requirements of the Regulations for the Certification of Laboratories Analyzing Drinking Water is hereby Approved as a

State Certified Laboratory in Chemistry

To perform the Analyses as Indicated on the Certified Parameter List For the Public Water Systems of Tennessee

Laboratory ID Number TN04935

Prasad Subbanna
Laboratory Certification Officer
Division of Water Resources

Issue/Effective Date: 11/01/2025 Expiration Date: 10/31/2026

This certification is subject to performance on E.P.A. Proficiency Testing Samples, laboratory inspections, payment of annual fees, is nontransferable, and supersedes previously issued certificates.

Certified Parameters - Selected Year

TENNESSEE

Metiri - Geneva, IL Lab | TN04935 | EPA # IL00038 | 10/31/2025

Attn: Virginia Zusman
1950 South Batavia Ave., Ste. 150
Geneva, IL 60134

Parameter	Sample #	EPA Parameter #	Approved Method	Study Type	Date Accepted	PT Provider / WS #
Disinfectant Residuals						
Total Chlorine Residual	013	1940 / 1012	SM - 4500-Cl G	Proficiency Test	2/27/2025	Phenova / WS0125
Free Chlorine	013	1945 / 1013	SM - 4500-Cl G	Proficiency Test	2/27/2025	Phenova / WS0125
Free Chlorine Residual	015	1945 / 1013	SM - 4500-Cl G	Proficiency Test	8/21/2025	Phenova / WS0725
Total Chlorine Residual	016	1940 / 1012	SM - 4500-Cl G	Proficiency Test	8/21/2025	Phenova / WS0725
Disinfection By-Products						
HAA						
Trichloroacetic Acid (HAA5)	020	9642 / 2452	EPA - 552.3	Proficiency Test	8/21/2025	Phenova / WS0725
Monochloroacetic Acid (HAA5)	020	9336 / 2450	EPA - 552.3	Proficiency Test	8/21/2025	Phenova / WS0725
Monobromoacetic Acid (HAA5)	020	9312 / 2453	EPA - 552.3	Proficiency Test	8/21/2025	Phenova / WS0725
Dichloroacetic Acid (HAA5)	020	9360 / 2451	EPA - 552.3	Proficiency Test	8/21/2025	Phenova / WS0725
Dibromoacetic Acid (HAA5)	020	9357 / 2454	EPA - 552.3	Proficiency Test	8/21/2025	Phenova / WS0725
Trichloroacetic Acid (HAA5)	044	9642 / 2452	EPA - 552.3	Proficiency Test	2/27/2025	Phenova / WS0125
Dichloroacetic Acid (HAA5)	044	9360 / 2451	EPA - 552.3	Proficiency Test	2/27/2025	Phenova / WS0125
Dibromoacetic Acid (HAA5)	044	9357 / 2454	EPA - 552.3	Proficiency Test	2/27/2025	Phenova / WS0125
Chloroacetic Acid (HAA5)	044	9336 / 2450	EPA - 552.3	Proficiency Test	2/27/2025	Phenova / WS0125
Bromoacetic Acid (HAA5)	044	9312 / 2453	EPA - 552.3	Proficiency Test	2/27/2025	Phenova / WS0125
THM						
Total Trihalomethanes (TTHM)	019	5205 / 2950	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
Chloroform	019	4505 / 2941	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
Chlorodibromomethane	019	4575 / 2944	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
Bromoform	019	4400 / 2942	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
Bromodichloromethane	019	4395 / 2943	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
Herbicides						
Picloram	027	8645 / 2040	EPA - 515.4	Proficiency Test	8/21/2025	Phenova / WS0725
Dinoseb	027	8620 / 2041	EPA - 515.4	Proficiency Test	8/21/2025	Phenova / WS0725
Dalapon	027	8555 / 2031	EPA - 515.4	Proficiency Test	8/21/2025	Phenova / WS0725
2,4-D	027	8545 / 2105	EPA - 515.4	Proficiency Test	8/21/2025	Phenova / WS0725
2,4,5-TP (Silvex)	027	8650 / 2110	EPA - 515.4	Proficiency Test	8/21/2025	Phenova / WS0725
Diquat	029	9390 / 2032	EPA - 549.2	Proficiency Test	8/21/2025	Phenova / WS0725
Endothall	030	7525 / 2033	EPA - 548.1	Proficiency Test	8/21/2025	Phenova / WS0725
Glyphosate	031	9411 / 2034	EPA - 547	Proficiency Test	8/21/2025	Phenova / WS0725
2,4-D	031	8545 / 2105	EPA - 515.4	Proficiency Test	2/27/2025	Phenova / WS0125
Dalapon	032	8555 / 2031	EPA - 515.4	Proficiency Test	2/27/2025	Phenova / WS0125
Dinoseb	033	8620 / 2041	EPA - 515.4	Proficiency Test	2/27/2025	Phenova / WS0125
Picloram	035	8645 / 2040	EPA - 515.4	Proficiency Test	2/27/2025	Phenova / WS0125
Diquat	041	9390 / 2032	EPA - 549.2	Proficiency Test	2/27/2025	Phenova / WS0125
Endothall	042	7525 / 2033	EPA - 548.1	Proficiency Test	2/27/2025	Phenova / WS0125
Glyphosate	043	9411 / 2034	EPA - 547	Proficiency Test	2/27/2025	Phenova / WS0125

Parameter	Sample #	EPA Parameter #	Approved Method	Study Type	Date Accepted	PT Provider / WS #
Pentachlorophenol	027	6605 / 2326	EPA - 515.4	Proficiency Test	8/21/2025	Phenova / WS0725
Pentachlorophenol	034	6605 / 2326	EPA - 515.4	Proficiency Test	2/27/2025	Phenova / WS0125
Inorganics						
Sodium	002	1155 / 1052	EPA - 200.7	Proficiency Test	8/21/2025	Phenova / WS0725
Potassium	002	1125 / 1042	EPA - 200.7	Proficiency Test	8/21/2025	Phenova / WS0725
Iron	002	1070 / 1028	EPA - 200.7	Proficiency Test	8/21/2025	Phenova / WS0725
Calcium	002	1035 / 1016	EPA - 200.7	Proficiency Test	8/21/2025	Phenova / WS0725
Sodium	004	1155 / 1052	EPA - 200.7	Proficiency Test	2/27/2025	Phenova / WS0125
Potassium	004	1125 / 1042	EPA - 200.7	Proficiency Test	2/27/2025	Phenova / WS0125
Calcium	004	1035 / 1016	EPA - 200.7	Proficiency Test	2/27/2025	Phenova / WS0125
Total Hardness as CaCO3	005	1755 / 1915	EPA - 200.7	Proficiency Test	2/27/2025	Phenova / WS0125
Conductivity	005	1610 / 1064	SM - 2510 B	Proficiency Test	2/27/2025	Phenova / WS0125
Alkalinity, as CaCO3	005	1505 / 1929	SM - 2320 B	Proficiency Test	2/27/2025	Phenova / WS0125
Alkalinity, as CaCO3	005	1505 / 1929	SM - 2320 B	Proficiency Test	8/21/2025	Phenova / WS0725
pH	006	1900 / 1925	SM - 4500-H+B	Proficiency Test	2/27/2025	Phenova / WS0125
Cyanide	007	1635 / 1024	EPA - 335.4	Proficiency Test	2/27/2025	Phenova / WS0125
Chloride	007	1575 / 1017	SM - 4500-Cl-E	Proficiency Test	8/21/2025	Phenova / WS0725
Fluoride	008	1730 / 1025	SM - 4500-F-C	Proficiency Test	8/21/2025	Phenova / WS0725
Cyanide	008	1635 / 1024	SM - 4500-CN-	Proficiency Test	2/27/2025	Phenova / WS0125
Nitrite	009	1840 / 1041	EPA - 353.2	Proficiency Test	8/21/2025	Phenova / WS0725
Nitrate + Nitrite	009	1820 / 1038	EPA - 353.2	Proficiency Test	8/21/2025	Phenova / WS0725
Nitrate	009	1810 / 1040	EPA - 353.2	Proficiency Test	8/21/2025	Phenova / WS0725
Chloride	009	1575 / 1017	SM - 4500-Cl-E	Proficiency Test	2/27/2025	Phenova / WS0125
Ortho-phosphate	010	1870 / 1044	SM - 4500-P E	Proficiency Test	8/21/2025	Phenova / WS0725
Fluoride	010	1730 / 1025	SM - 4500-F-C	Proficiency Test	2/27/2025	Phenova / WS0125
Sulfate	011	2000 / 1055	ASTM - D516-9	Proficiency Test	8/21/2025	Phenova / WS0725
Sulfate	011	2000 / 1055	ASTM - D516-9	Proficiency Test	2/27/2025	Phenova / WS0125
Nitrite	012	1840 / 1041	EPA - 353.2	Proficiency Test	2/27/2025	Phenova / WS0125
Nitrate + Nitrite	012	1820 / 1038	EPA - 353.2	Proficiency Test	2/27/2025	Phenova / WS0125
Nitrate	012	1810 / 1040	EPA - 353.2	Proficiency Test	2/27/2025	Phenova / WS0125
Cyanide	012	1635 / 1024	EPA - 335.4	Proficiency Test	8/21/2025	Phenova / WS0725
Cyanide	013	1635 / 1024	SM - 4500-CN-	Proficiency Test	8/21/2025	Phenova / WS0725
TOC (total organic carbon)	014	2040 / 2920	SM - 5310 B	Proficiency Test	2/27/2025	Phenova / WS0125
pH	014	1900 / 1925	SM - 4500-H+B	Proficiency Test	8/21/2025	Phenova / WS0725
Total Dissolved Solids	016	1955 / 1930	SM - 2540 C	Proficiency Test	2/27/2025	Phenova / WS0125
Total Dissolved Solids	018	1955 / 1930	SM - 2540 C	Proficiency Test	8/21/2025	Phenova / WS0725
Metals						
Thallium	001	1165 / 1085	EPA - 200.8	Proficiency Test	8/21/2025	Phenova / WS0725
Thallium	001	1165 / 1085	EPA - 200.8	Proficiency Test	2/27/2025	Phenova / WS0125
Selenium	001	1140 / 1045	EPA - 200.8	Proficiency Test	2/27/2025	Phenova / WS0125
Nickel	001	1105 / 1036	EPA - 200.8	Proficiency Test	2/27/2025	Phenova / WS0125
Manganese	001	1090 / 1032	EPA - 200.8	Proficiency Test	2/27/2025	Phenova / WS0125
Manganese	001	1090 / 1032	EPA - 200.8	Proficiency Test	8/21/2025	Phenova / WS0725
Lead	001	1075 / 5000	EPA - 200.8	Proficiency Test	2/27/2025	Phenova / WS0125
Lead	001	1075 / 5000	EPA - 200.8	Proficiency Test	8/21/2025	Phenova / WS0725
Copper	001	1055 / 1022	EPA - 200.8	Proficiency Test	2/27/2025	Phenova / WS0125
Chromium	001	1040 / 1020	EPA - 200.8	Proficiency Test	2/27/2025	Phenova / WS0125
Cadmium	001	1030 / 1015	EPA - 200.8	Proficiency Test	8/21/2025	Phenova / WS0725
Cadmium	001	1030 / 1015	EPA - 200.8	Proficiency Test	2/27/2025	Phenova / WS0125
Beryllium	001	1020 / 1075	EPA - 200.8	Proficiency Test	2/27/2025	Phenova / WS0125

Parameter	Sample #	EPA Parameter #	Approved Method	Study Type	Date Accepted	PT Provider / WS #
Beryllium	001	1020 / 1075	EPA - 200.8	Proficiency Test	8/21/2025	Phenova / WS0725
Barium	001	1015 / 1010	EPA - 200.8	Proficiency Test	2/27/2025	Phenova / WS0125
Arsenic	001	1010 / 1005	EPA - 200.8	Proficiency Test	8/21/2025	Phenova / WS0725
Arsenic	001	1010 / 1005	EPA - 200.8	Proficiency Test	2/27/2025	Phenova / WS0125
Antimony	001	1005 / 1074	EPA - 200.8	Proficiency Test	2/27/2025	Phenova / WS0125
Antimony	001	1005 / 1074	EPA - 200.8	Proficiency Test	8/21/2025	Phenova / WS0725
Nickel	002	1105 / 1036	EPA - 200.7	Proficiency Test	8/21/2025	Phenova / WS0725
Nickel	002	1105 / 1036	EPA - 200.7	Proficiency Test	2/27/2025	Phenova / WS0125
Manganese	002	1090 / 1032	EPA - 200.7	Proficiency Test	2/27/2025	Phenova / WS0125
Manganese	002	1090 / 1032	EPA - 200.7	Proficiency Test	8/21/2025	Phenova / WS0725
Magnesium	002	1085 / 1031	EPA - 200.7	Proficiency Test	8/21/2025	Phenova / WS0725
Copper	002	1055 / 1022	EPA - 200.7	Proficiency Test	8/21/2025	Phenova / WS0725
Copper	002	1055 / 1022	EPA - 200.7	Proficiency Test	2/27/2025	Phenova / WS0125
Chromium	002	1040 / 1020	EPA - 200.7	Proficiency Test	2/27/2025	Phenova / WS0125
Chromium	002	1040 / 1020	EPA - 200.7	Proficiency Test	8/21/2025	Phenova / WS0725
Barium	002	1015 / 1010	EPA - 200.7	Proficiency Test	8/21/2025	Phenova / WS0725
Barium	002	1015 / 1010	EPA - 200.7	Proficiency Test	2/27/2025	Phenova / WS0125
Selenium	003	1140 / 1045	EPA - 200.8	Proficiency Test	8/21/2025	Phenova / WS0725
Nickel	003	1105 / 1036	EPA - 200.8	Proficiency Test	8/21/2025	Phenova / WS0725
Mercury	003	1095 / 1035	EPA - 245.1	Proficiency Test	2/27/2025	Phenova / WS0125
Mercury	003	1095 / 1035	EPA - 200.8	Proficiency Test	2/27/2025	Phenova / WS0125
Chromium	003	1040 / 1020	EPA - 200.8	Proficiency Test	8/21/2025	Phenova / WS0725
Barium	003	1015 / 1010	EPA - 200.8	Proficiency Test	8/21/2025	Phenova / WS0725
Magnesium	004	1085 / 1031	EPA - 200.7	Proficiency Test	2/27/2025	Phenova / WS0125
Copper	004	1055 / 1022	EPA - 200.8	Proficiency Test	8/21/2025	Phenova / WS0725
Mercury	005	1095 / 1035	EPA - 245.1	Proficiency Test	8/21/2025	Phenova / WS0725
Silver	001	1150 / 1050	EPA - 200.8	Proficiency Test	2/27/2025	Phenova / WS0125
Aluminum	001	1000 / 1002	EPA - 200.8	Proficiency Test	2/27/2025	Phenova / WS0125
Aluminum	001	1000 / 1002	EPA - 200.8	Proficiency Test	8/21/2025	Phenova / WS0725
Zinc	002	1190 / 1095	EPA - 200.7	Proficiency Test	2/27/2025	Phenova / WS0125
Zinc	002	1190 / 1095	EPA - 200.7	Proficiency Test	8/21/2025	Phenova / WS0725
Zinc	003	1190 / 1095	EPA - 200.8	Proficiency Test	8/21/2025	Phenova / WS0725
Silver	004	1150 / 1050	EPA - 200.8	Proficiency Test	8/21/2025	Phenova / WS0725
Organics						
PCBs (as Aroclors)	026	8872 / 2383	EPA - 505	Proficiency Test	8/21/2025	Phenova / WS0725
Aldicarb Sulfone	028	7015 / 2044	EPA - 531.2	Proficiency Test	8/21/2025	Phenova / WS0725
PCBs (as Aroclors)	030	8872 / 2383	EPA - 505	Proficiency Test	2/27/2025	Phenova / WS0125
Aldicarb	036	7010 / 2047	EPA - 531.2	Proficiency Test	2/27/2025	Phenova / WS0125
Aldicarb Sulfone	037	7015 / 2044	EPA - 531.2	Proficiency Test	2/27/2025	Phenova / WS0125
Aldicarb Sulfoxide	038	7020 / 2043	EPA - 531.2	Proficiency Test	2/27/2025	Phenova / WS0125
EDB (Ethylene dibromide)	025	4585 / 2946	EPA - 504.1	Proficiency Test	8/21/2025	Phenova / WS0725
1,2-dibromo-3-chloropropane(DBCP)	025	4570 / 2931	EPA - 504.1	Proficiency Test	8/21/2025	Phenova / WS0725
DBCP (Dibromochloropropane)	028	4570 / 2931	EPA - 504.1	Proficiency Test	2/27/2025	Phenova / WS0125
EDB (Ethylene dibromide)	029	4585 / 2946	EPA - 504.1	Proficiency Test	2/27/2025	Phenova / WS0125
Pesticides						
Hexachlorocyclopentadiene	022	6285 / 2042	EPA - 505	Proficiency Test	8/21/2025	Phenova / WS0725
Hexachlorocyclopentadiene	023	6285 / 2042	EPA - 505	Proficiency Test	2/27/2025	Phenova / WS0125

Parameter	Sample #	EPA Parameter #	Approved Method	Study Type	Date Accepted	PT Provider / WS #
Endrin	019	7540 / 2005	EPA - 505	Proficiency Test	2/27/2025	Phenova / WS0125
Heptachlor	020	7685 / 2065	EPA - 505	Proficiency Test	2/27/2025	Phenova / WS0125
Heptachlor Epoxide	021	7690 / 2067	EPA - 505	Proficiency Test	2/27/2025	Phenova / WS0125
Methoxychlor	022	7810 / 2015	EPA - 505	Proficiency Test	8/21/2025	Phenova / WS0725
Lindane	022	7120 / 2010	EPA - 505	Proficiency Test	8/21/2025	Phenova / WS0725
Hexachlorobenzene	022	6275 / 2274	EPA - 505	Proficiency Test	2/27/2025	Phenova / WS0125
Hexachlorobenzene	022	6275 / 2274	EPA - 505	Proficiency Test	8/21/2025	Phenova / WS0725
Heptachlor Epoxide	022	7690 / 2067	EPA - 505	Proficiency Test	8/21/2025	Phenova / WS0725
Heptachlor	022	7685 / 2065	EPA - 505	Proficiency Test	8/21/2025	Phenova / WS0725
Endrin	022	7540 / 2005	EPA - 505	Proficiency Test	8/21/2025	Phenova / WS0725
Chlordane	023	7250 / 2959	EPA - 505	Proficiency Test	8/21/2025	Phenova / WS0725
Toxaphene	024	8250 / 2020	EPA - 505	Proficiency Test	8/21/2025	Phenova / WS0725
Lindane	024	7120 / 2010	EPA - 505	Proficiency Test	2/27/2025	Phenova / WS0125
Methoxychlor	025	7810 / 2015	EPA - 505	Proficiency Test	2/27/2025	Phenova / WS0125
Chlordane	026	7250 / 2959	EPA - 505	Proficiency Test	2/27/2025	Phenova / WS0125
Toxaphene	027	8250 / 2020	EPA - 505	Proficiency Test	2/27/2025	Phenova / WS0125
Oxamyl (Vydate)	028	7940 / 2036	EPA - 531.2	Proficiency Test	8/21/2025	Phenova / WS0725
Carbofuran	028	7205 / 2046	EPA - 531.2	Proficiency Test	8/21/2025	Phenova / WS0725
Carbofuran	039	7205 / 2046	EPA - 531.2	Proficiency Test	2/27/2025	Phenova / WS0125
Oxamyl (Vydate)	040	7940 / 2036	EPA - 531.2	Proficiency Test	2/27/2025	Phenova / WS0125
VOCs - Regulated						
Vinyl Chloride	021	5235 / 2976	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
Trichloroethylene	021	5170 / 2984	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
trans-1,2-dichloroethylene	021	4700 / 2979	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
Total Xylenes	021	5260 / 2955	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
Toluene	021	5140 / 2991	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
Tetrachloroethylene	021	5115 / 2987	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
Styrene	021	5100 / 2996	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
Ethylbenzene	021	4765 / 2992	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
Dichloromethane (methylene chloride)	021	4975 / 2964	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
cis-1,2-Dichloroethylene	021	4645 / 2380	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
Chlorobenzene	021	4475 / 2989	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
Carbon Tetrachloride	021	4455 / 2982	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
Benzene	021	4375 / 2990	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
1,4-Dichlorobenzene	021	4620 / 2969	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
1,2-Dichloropropane	021	4655 / 2983	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
1,2-Dichloroethane	021	4635 / 2980	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
1,2-Dichlorobenzene	021	4610 / 2968	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
1,2,4-Trichlorobenzene	021	5155 / 2378	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
1,1-Dichloroethylene	021	4640 / 2977	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
1,1,2-Trichloroethane	021	5165 / 2985	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
1,1,1-Trichloroethane	021	5160 / 2981	EPA - 524.2	Proficiency Test	8/21/2025	Phenova / WS0725
Vinyl Chloride	045	5235 / 2976	EPA - 524.2	Proficiency Test	2/25/2025	Phenova / WS0125
Trichloroethylene	045	5170 / 2984	EPA - 524.2	Proficiency Test	2/25/2025	Phenova / WS0125
trans-1,2-dichloroethene	045	4700 / 2979	EPA - 524.2	Proficiency Test	2/25/2025	Phenova / WS0125
Total Xylenes	045	5260 / 2955	EPA - 524.2	Proficiency Test	2/25/2025	Phenova / WS0125
Toluene	045	5140 / 2991	EPA - 524.2	Proficiency Test	2/25/2025	Phenova / WS0125
Tetrachloroethylene	045	5115 / 2987	EPA - 524.2	Proficiency Test	2/25/2025	Phenova / WS0125
Styrene	045	5100 / 2996	EPA - 524.2	Proficiency Test	2/25/2025	Phenova / WS0125
Ethylbenzene	045	4765 / 2992	EPA - 524.2	Proficiency Test	2/25/2025	Phenova / WS0125
Dichloromethane (methylene chloride)	045	4975 / 2964	EPA - 524.2	Proficiency Test	2/25/2025	Phenova / WS0125
cis-1,2-Dichloroethene	045	4645 / 2380	EPA - 524.2	Proficiency Test	2/25/2025	Phenova / WS0125
Chlorobenzene	045	4475 / 2989	EPA - 524.2	Proficiency Test	2/25/2025	Phenova / WS0125

Parameter	Sample #	EPA Parameter #	Approved Method	Study Type	Date Accepted	PT Provider / WS #
Carbon Tetrachloride	045	4455 / 2982	EPA - 524.2	Proficiency Test	2/25/2025	Phenova / WS0125
Benzene	045	4375 / 2990	EPA - 524.2	Proficiency Test	2/25/2025	Phenova / WS0125
1,4-Dichlorobenzene	045	4620 / 2969	EPA - 524.2	Proficiency Test	2/25/2025	Phenova / WS0125
1,2-Dichloropropane	045	4655 / 2983	EPA - 524.2	Proficiency Test	2/25/2025	Phenova / WS0125
1,2-Dichloroethane	045	4635 / 2980	EPA - 524.2	Proficiency Test	2/25/2025	Phenova / WS0125
1,2-Dichlorobenzene	045	4610 / 2968	EPA - 524.2	Proficiency Test	2/25/2025	Phenova / WS0125
1,2,4-Trichlorobenzene	045	5155 / 2378	EPA - 524.2	Proficiency Test	2/25/2025	Phenova / WS0125
1,1-Dichloroethene	045	4640 / 2977	EPA - 524.2	Proficiency Test	2/25/2025	Phenova / WS0125
1,1,2-Trichloroethane	045	5165 / 2985	EPA - 524.2	Proficiency Test	2/25/2025	Phenova / WS0125
1,1,1-Trichloroethane	045	5160 / 2981	EPA - 524.2	Proficiency Test	2/25/2025	Phenova / WS0125